ACCURATE

LOCK & HARDWARE

AMERICAN CRAFTED SINCE 1972

GR86 RABBETED GLASS PATCH HARDWARE SETS

FOR OFFSET GLASS APPLICATIONS

A SLEEK SPECIALTY GLASS SOLUTION

GR86 SERIES

This rabbeted glass patch kit is designed for offset on-glass applications with privacy gasketing. The GR86 is offered as a complete package including lock body, patch assembly and levers, compatible with US mortise cylinders.

GR8656 RABBETED GLASS PATCH WITH 18L LEVERS

GR86 Series

RABBETED GLASS PATCH KIT

EUROPEAN-INSPIRED STYLE

- Maintain the sleek, modern aesthetic where glass doors are prominent

DESIGN VERSATILITY

- Compatible with various partition system configurations
- For inswing and outswing doors that utilize proprietary framing
- Fits $^{1}/_{2}$” tempered glass standard, other door thicknesses available

FUNCTIONALITY

- Available in a variety of functions
- Can be used with standard mortise cylinders
- Quick and simple door prep and installation

INSIDE

OUTSIDE

GR8656 FUNCTION
SHOWN ON RH DOOR

GR86 Rabbeted Glass Patch Kit Dimensions



GR8656 ENTRANCE FUNCTION WITH 18L LEVERS
(other levers available)

GR86 Rabbeted Glass Patch Kit Dimensions

INSWING
1-1/2” Cylinder Length
3/8” Collar



OUTSWING
1-1/2” Cylinder Length
1” Collar



CYLINDER GUIDELINES		
Cylinder Length	Collar Size	
	Inswing	Outswing
3/4"	N/A	3/8"
1"		1/2"
1-1/8"		5/8"
1-1/4"		3/4"
1-3/8"	1/8"	7/8"
1-1/2"	3/8"	1"

GR86 Series Functions



GR8625
PASSAGE

Latch bolt by lever either side.



GR8656
ENTRANCE OR OFFICE

Latch bolt by key outside and lever either side unless outside lever is locked by toggle-action stop.

Auxiliary latch deadlocks latch bolt.

Latch can be held retracted by key.



GR8659
STOREROOM OR CLOSET

Latch by lever inside and key outside.

Outside lever always **rigid.**

Auxiliary latch deadlocks latch bolt.

Latch can be held retracted by key.

ACCURATE LEVER TRIM OPTIONS

17L LEVER





18L LEVER



19L LEVER



20L LEVER





29L LEVER



HOW TO SPECIFY

HANDING



FINISHES

GROUP 1: US26D, ESN

GROUP 2: US4, US10B, US26

Other finishes available, please contact us for assistance.



CYLINDERS & KEYING

GR86 Series locks accept any standard American mortise cylinder with a straight cam (other cams may be required for functions not listed). For details on required cams and compatibility with other manufacturers' cylinders, please visit: Accurate Support.

HOW TO SPECIFY

FUNCTION.BACKSET.TRIM.FINISH.HAND.DOORTHICKNESS

Functions
See available functions (pg. 6)

Backset
$1^1/_2$" standard

Trim
Accurate Lever Trim included (pg. 7)

Finishes
See available finishes (pg. 8)

Door Thickness
Standard $^1/_2$" tempered glass. Other door thicknesses available upon request.

EXAMPLES

GR86 Entrance | Glass Wall
E.g.: GR8656.112.18L.US26D.RH.1/2

GR86 Office | Aluminum Frame ($4^7/_8$" Strike)
E.g.: GR8659.112.19L.US26D.RH.1/2

GR86 Passage
E.g.: GR8625.112.17L.ESN.RH.1/2

CUSTOM OPTIONS AVAILABLE

- Set up for levers by other manufacturers
- Other backsets, door thicknesses and custom anodized aluminum finishes/colors
- Access control applications

Cylinders must be specified separately if required.

**Note: For compatibility please verify vertical spacing as well as through-bolting locations or call for assistance.*

ACCURATE LOCK & HARDWARE
MANUFACTURERS OF LOCKS AND CUSTOM ARCHITECTURAL HARDWARE

1 Annie Place | Stamford, CT 06902

P: 203.348.8865
F: 203.348.5234
E: sales@accuratelockandhardware.com

www.accuratelockandhardware.com

AMERICAN CRAFTE
— SINCE 1972 —